

TYPE: PE/NM/S4

Product 4-cup design

Group Separation, batching and displacement

PE/NM/S4 pigs size 4" – 24" are designed for product separation, batching and displacement operations.

PE/NM/S4 pigs are manufactured with a polyurethane flexible casted body head inclusive, polyurethane spacers and a hoisting facility in front.

PE/NM/S4 pigs are fitted with 4 polyurethane scraper cups which are easily replaceable and create a perfect seal.



General function and application

Removal of debris, liquid evacuation, product separation, batching and displacement.

PE/NM/S4 pigs are designed for passing 1.5D radius bends and will traverse full-size branch openings.

PE/NM/S4 options available

- Gauging plate aluminium



Size Nom. (inches)	L (mm)	T (mm)	P (mm)	D (mm)	G (mm)
4	175	150	70	50	30
6	240	205	95	75	45
8	350	300	140	100	50
10	415	350	160	130	50
12	507	430	170	155	75
14	562	480	170	165	75
16	650	550	190	200	100
18	710	610	190	200	100
20	770	670	190	200	100
24	970	850	220	245	150

TYPE: PENM/S6

Product 6-cup design

Group Separation, batching and displacement

PE/NM/S6 pigs size 4" – 24" are designed for product separation, batching and displacement operations.

PE/NM/S6 pigs are manufactured with a polyurethane flexible casted body head inclusive, polyurethane spacers and a hoisting facility in front.

PE/NM/S6 pigs are fitted with 6 polyurethane scraper cups which are easily replaceable and create a perfect seal.



General function and application

Removal of debris, liquid evacuation, product separation, batching and displacement.

PE/NM/S6 pigs are designed for passing 3D radius bends and will traverse full-size branch openings.

PE/NM/S6 options available

- Gauging plate aluminium



Size Nom. (inches)	L (mm)	T (mm)	P2 (mm)	P1 (mm)	D (mm)	G (mm)
4	255	230	110	70	50	30
6	350	315	150	95	75	45
8	510	460	220	140	100	50
10	605	540	255	160	130	50
12	667	590	275	170	155	75
14	672	590	275	170	165	75
16	770	670	310	190	200	100
18	770	670	310	190	200	100
20	830	730	310	190	200	100
24	880	760	355	220	245	150

TYPE: PE/NM/C3

Product 3-cup design

Group Cleaning

PE/NM/C3 pigs size 4" –24" are designed for removal of deposits from the inner pipe wall and / or construction debris.

PE/NM/C3 pigs are manufactured with a polyurethane flexible casted body head inclusive, polyurethane spacer and a hoisting facility in front.

PE/NM/C3 pigs are fitted with 3 polyurethane scraper cups which are easily replaceable and create a perfect seal.

PE/NM/C3 pigs are equipped with 3 circular steel wire crimped brushes which are as the cups easily replaceable.



General function and application

Removal of deposits from the inner pipe wall and / or construction debris.

PE/NM/C3 pigs are designed for passing 3D radius bends and will traverse full-size branch openings.

PE/NM/C3 options available

- Gauging plate aluminium
- Brushes stainless steel
- Brushes nylon



Size Nom. (inches)	L (mm)	T (mm)	P2 (mm)	P1 (mm)	D (mm)	G (mm)
4	219	194	126	58	50	30
6	284	249	161	73	75	45
8	384	334	216	98	100	50
10	434	369	236	103	130	50
12	531	454	281	108	155	75
14	586	504	306	108	165	75
16	725	625	380	135	200	100
18	775	675	405	135	200	100
20	865	765	465	165	200	100
24	955	835	500	165	245	150

TYPE:PE/NM/C4

Product 4-cup design

Group Cleaning

PE/NM/C4 pigs size 4" –24" are designed for removal of deposits from the inner pipe wall and / or construction debris.

PE/NM/C4 pigs are manufactured with a polyurethane flexible casted body head inclusive, polyurethane spacers and a hoisting facility in front.

PE/NM/C4 pigs are fitted with 4 polyurethane scraper cups which are easily replaceable and create a perfect seal.

PE/NM/C4 pigs are equipped with 2 circular steel wire crimped brushes which are as the cups easily replaceable.


General function and application

Removal of deposits from the inner pipe wall and / or construction debris.

PE/NM/C4 pigs are designed for passing 3D radius bends and will traverse full-size branch openings.

PE/NM/C4 options available

- Gauging plate aluminium
- Brushes stainless steel
- Brushes nylon



Size Nom. (inches)	L (mm)	T (mm)	P2 (mm)	P1 (mm)	D (mm)	G (mm)
4	231	206	98	58	50	30
6	306	271	128	73	75	45
8	426	376	178	98	100	50
10	491	426	198	103	130	50
12	523	446	213	108	155	75
14	598	516	213	108	165	75
16	700	600	255	135	200	100
18	760	660	255	135	200	100
20	835	735	300	165	200	100
24	950	830	300	165	245	150